

vegnar  
Engineered for Elegance



## ALUMINIUM RAILING SYSTEM



[www.vegnararch.com](http://www.vegnararch.com)



## About Us

**Vegnar Hardware** is a dynamic, Rajkot-based manufacturer specializing in the premium segment of architectural hardware and modular Railing Systems . Established with a commitment to excellence, we aim to deliver products that combine superior craftsmanship, durability, and modern design. Since our inception,

**Vegnar** has adhered to stringent international quality standards, ensuring our products meet global technical benchmarks. Our products are crafted by skilled professionals using premium-grade raw materials. Each product undergoes rigorous quality testing to ensure flawless performance, durability, and aesthetic appeal.



[www.vegnararch.com](http://www.vegnararch.com)

# INDEX

## ALUMINIUM RAILING SYSTEM

- 1 Bracket Systems
- 2 Bracket With Cover System
- 3 Continuous Profile
- 4 Concealed System
- 5 Handrails
- 6 Small Continuous Profile
- 7 Spigot Systems
- 8 Side Mount System







**VBS-48**



**VBS-49**

Vegnar Aluminium Railing system is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. it is ideal solution for small balconies. most economic but impressive and functional result with no view limit. the system is compatible with glass of 12 mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE





**VBS-50**



**VBS-51**

Vegnar Aluminium Railing system is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. it is ideal solution for small balconies. most economic but impressive and functional result with no view limit. the system is compatible with glass of 12 mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE



**VBS-52**



**VBS-53**

Vegnar Aluminium Railing system is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. it is ideal solution for small balconies. most economic but impressive and functional result with no view limit. the system is compatible with glass of 12 mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE





**VBS-54**



**VBS-55**

Vegnar Aluminium Railing system is an on floor glass supporting system without cover, ideal for the construction of glass railing on a floor or on a parapet by using a special bracket profile. it is ideal solution for small balconies. most economic but impressive and functional result with no view limit. the system is compatible with glass of 12 mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE





## VCS-63

Vegnar Aluminium Railing system is installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system.

The brackets are covered with oval shape fascia profiles in anodized, wood as well as any other shades of powder coating.


The system is compatible with glass 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	25"	18"	15"	12"

∞ FINITE







## VCS-64

Vegnar Aluminium Railing system is installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. the brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system.

The brackets are covered with oval shape fascia profiles in anodized, wood as well as any other shades of powder coating. the system is compatible with glass 12mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	25"	18"	15"	12"

∞ FINITE

## VCS-65

Vegnar Aluminium Railing system is installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. the brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system.


The brackets are covered with oval shape fascia profiles in anodized, wood as well as any other shades of powder coating.

the system is compatible with glass 12mm to 15mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE







## VCS-66

Vegnar Aluminium Railing system is installed on fully finished floor, ceramic tiles, marble, wooden flooring or on a balcony parapet. The brackets are anchored with the bolts which can be easily removed if required without any damage to the floor or the system.

The brackets are covered with oval shape fascia profiles in anodized, wood as well as any other shades of powder coating.

The system is compatible with glass 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE

## VCS-65

Vegnar Aluminium Railing system is unmatched for its ability to bring safety, visual appeal and practicality to high traffic external space, this system is totally frameless, without any intervention of columns or additional support and ensures transparent uninterrupted view.

The base is covered by rectangle aluminum covers profile which allow the replacement of the glass without damaging the system or the floor.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	25'	18'

∞ FINITE







## VC-69

Vegnar Aluminium Railing system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or Floor. the with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"
Railing Length	18'	15'	12'	10'

## VC-71

Vegnar Aluminium Railing system is continuous base profile railing system is the most favorite of the architects for it's slim & trim look with great stability, unmatched aesthetics and a zero disturbance view. the system is compatible with glass of 12mm to 15mm thickness.



Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	25'	15'

∞ FINITE





## VC-72

Vegnar Aluminium Railing system is an economically designed for floor mount glass supporting system with continuous aluminum base profile which allow the replacement of the glass without the damaging the system or Floor. the with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE

## VC-73

Vegnar Aluminium Railing system is the most favorite of the architects for it's slim & trim look with great stability, unmatched aesthetics and a zero disturbance view.. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	∞

∞ FINITE







## VC-74

Vegnar Aluminium Railing system is zero disturbance glass railing system provides a seamless, minimal look to complement your property's aesthetic. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	15'	25'

∞ FINITE

## VC-75

Vegnar Aluminium Railing system is zero disturbance glass railing system provides a seamless, minimal look to complement your property's aesthetic. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	15'	25'

∞ FINITE





## VC-76

Vegnar Aluminium Railing system is unmatched for its ability to bring safety and visual appeal. No Doubt, this system will increase ambient by illuminating the entire space where it is installed. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	15'	25'


∞ FINITE

## VC-77

Vegnar Aluminium Railing system is Totally frame less, without any intervention of columns or additional support and ensures transparent this system allow the replacement of the glass without damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE







## VC-78

Vegnar Aluminium Railing system is Totally frame less, without any intervention of columns or additional support and ensures transparent this system allow the replacement of the glass without damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	∞	25'

∞ FINITE

## VC-79


Vegnar Aluminium Railing system is Totally frame less, without any intervention of columns or additional support and ensures transparent this system allow the replacement of the glass without damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	25'	18'

∞ FINITE








## VC-81

Vegnar Aluminium Railing system is in floor glass supporting system with continuous base aluminium profile. The System is unmatched for its ability to bring safety, clear visibility and most easy to install. which allow the replacement of the glass with out the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	33"	36"	39"	42"
Railing Length	25"	18"	15"	12"







## VC-82

Vegnar Aluminium Railing system is in floor glass supporting system with continuous base aluminum profile. The System is unmatched for it's ability to bring safety, clear visibility and most easy to install. which allow the replacement of the glass with out the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	25'	15'

∞ FINITE

## VC-83


Vegnar Aluminium Railing system is in floor glass supporting system with continuous base aluminum profile. The System is unmatched for it's ability to bring safety, clear visibility and most easy to install. which allow the replacement of the glass with out the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	25'	18'	15'

∞ FINITE




## 50MM ROUND



Wall Conceal



90° Bend





Pipe Joiner



End Cap



## 50x50 MM SQUARE



Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 40x40 MM SQUARE



Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 25 x 25 MM SQUARE




Wall Conceal



90° Bend



Pipe Joiner




End Cap





## 34X27 MM




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## BIG OVEL




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## SMALL OVEL




Wall Conceal



90° Bend





Pipe Joiner



End Cap



## INCLINE




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 65x40 MM TRIANGLE




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 60x40 RECTANGLE




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 70x30 MM




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## 80x30 MM




Wall Conceal



90° Bend



Pipe Joiner




End Cap





## INCLINE LED




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## D-SHAPE LED




Wall Conceal



90° Bend




Pipe Joiner



End Cap



## TWO SIDE LED




Wall Conceal



90° Bend




Pipe Joiner




End Cap



## SLIM PIPE






## VCP-57

Vegnar Aluminium Railing system is on floor glass supporting system with continuous base aluminium profile which allow the replacement of the glass without the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	69"
Railing Length	∞	25"	18"	12"

∞ FINITE








## VCP-58

Glass Height	30"	33"	36"	69"
Railing Length	∞	25"	18"	12"

∞ FINITE



## VCP-59

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	25'	18'	15'

∞ FINITE

Vegnar Aluminium Railing system is in floor glass supporting system with continuous base aluminum profile. The System is unmatched for it's ability to bring safety, clear visibility and most easy to install. which allow the replacement of the glass with out the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.



# Small Continuous Profile



## VCP-60

Glass Height	30"	33"	36"	69"
Railing Length	∞	25"	18"	12"

∞ FINITE



## VCP-61

Glass Height	30"	33"	36"	69"
Railing Length	∞	25"	18"	12"

∞ FINITE

Vegnar Aluminium Railing system is in floor glass supporting system with continuous base aluminum profile. The System is unmatched for it's ability to bring safety, clear visibility and most easy to install. which allow the replacement of the glass with out the damaging the system or the floor. the system is compatible with glass of 12mm to 15mm thickness.








## VSS-40

Vegnar aluminium half baluster with routel can be used in both interior & exterior application, where the glass must have a space between the floor and the lower edge of glass. This railing system has two balusters to hold each glass panel.

The glass is hold up off of the ground by routels connected to the post. Each baluster must have a solid surface to drill down each post's base into the floor in order to support the railing. Vegnar aluminium half baluster is a very new and unique concept with multi coating option.






**VSS-41**



**VSS-42**


Vegnar aluminium top mount spigot glass railing system can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.

This spigot can be core drilled on surface mounted depending on the application. By installing a new frameless glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.




**VSS-43**





**VSS-44**



**VSS-45**

Vegnar aluminium top mount spigot glass railing system can be used in both exterior and interior application such as Balconies, Cutouts, Terrace, Staircase etc.

This spigot can be core drilled on surface mounted depending on the application. By installing a new frameless glass railing in your home or commercial property, you are sure to bring that modern look and value in your property.



**VSS-46**





## VSMS-85

Vegnar Aluminium Railing system is an fascia glass supporting system with aluminum brackets. ideal for the construction of glass railing on a floor or on a parapet by using a special base profile. The System is compatible with glass of 12mm to 15mm thickness.

Glass Height	30"	33"	36"	39"	42"
Railing Length	∞	∞	∞	25'	18'

∞ FINITE





# vegnar

Engineered for Elegance



+91 75700 00553  
+91 96015 92298



[sales@vegnar.com](mailto:sales@vegnar.com)



[www.vegnararch.com](http://www.vegnararch.com)



506, Riverawave, Nr. Macdonalds,  
Kalawad Road, Rajkot - Gujarat

Follow on

